NOTICE OF DRAFTSPERSON'S PATENT DRAWING REVIEW



DRAW (ASS COLT AND ACCEPTION DESCRIPTION OF THE ASS AND ACCEPTION OF TH	DRAWPsGS, 37 CFR 1.84(a). Acceptable extegories of drawings	8 ARRANGEMENT OF VIEWS 37 CHR 1840)
Figs becomes the right side, except to graphs. Figs Professional non black ink not permitted Figs 9 SCALL 37 TEP L84(3) Facilities set is required. Figs 9 SCALL 37 TEP L84(3) From plantify thirthorics. Figs 9 Scale and higher angle to show mechanisms without covording since individing a reduced in size in two thirds in 5 production. Figs 9 Scale and higher and datable 1 Scale and datable 1 Scale and datable 1 Scale and the scale and datable 1 Scale and the scale and datable 1 S		
Principland and black ink not permitted Figss) Photographs 32 CFR 18404 Photographs may not be mounted. 37 CFR 18402 Photographs may not be mounted. 37 CFR 18402 Photographs may not be mounted. 37 CFR 18402 Proving any floation of Figss TOPE OF PAFER 33 CFR 18403 Page 1 not this shile, strong, so are and detable. Eight not this shile, strong, so are and detable. Eight not this shile, strong, so are and detable. Eight not this shile, strong, so are and detable. Eight not this shile, strong, so are and detable. Eight not this shile, strong, so are and detable. Eight not this shile, strong, so are and detable. Eight not this shile, strong, so are and detable. Eight not this shile, strong, so are and detable. Eight not this shile, strong, so are and detable. Eight not this shile, strong, so are and detable. Eight not this shile, strong, so are and detable. Eight not this shile, strong, so are and detable. Eight not this shile, strong, so are and detable. Eight not this shile, strong, so are and detable. Eight not this shile, strong, so are an exercised figst. Street strong, and this shile, strong, so are an exercised figst. Street strong, and this shile, strong, so are an exercised figst. Street strong, and this shile, strong, so are an exercised figst. Street strong, and strong, so are an exercised figst. Street strong, and strong, so are an exercised figst. Street strong, and strong, so are an exercised figst. Street strong, and strong, so are an exercised figst. Street strong, and strong, so are an exercised figst. Eight not	Covor drawings are not acce; table until petiton is granted	
PHOTO-SPAPHS 37 CTR 1840 1 Let I tone exist required. Figs) Phone graphs may not be more used. 37 CFR 1840; Programs (bill-tone) figs. Pro	Fig(s)	
Prior graphs may not be movined. 37 CR 1.84(c) Spend action in the production of		9. SCALL 37 IFR 1.84(1)
Phon graphs may not be mornied. 37 CFR 1 National Spring provided in Provided		exceedent when drawing is reduced in size to two-thirds in
Figs CHAR WOTER OF LINES 10 CHAR WOTER OF LINES IN MISTER A LETTERS 17 CHAR WOTER OF LINES IN MISTER A LETTERS 17 CHAR WOTER OF LINES IN MISTER A LETTERS 17 CHAR WOTER OF LINES IN MISTER A LETTERS 17 CHAR WOTER OF LINES IN MISTER A LETTERS 17 CHAR WOTER OF LINES 17 CHAR WOTER O	The appear of the man made of CER 1.8 for	
TYPE OF PAPER 37 CFR 1846: Paper not flexible, strong is air, and durable First Exercise, declarons increasings, interinections, tolars cope machine many soft acceptable for six. Edits cope machine many soft acceptable for six. Melie vicio paper is not acceptable designation. SZE CF SAPER 37 CFR 1841: 2 in min 270 cm (DF) six A44: 3 in min 270 cm (DF) six A44: 4 in min 270 cm (DF) six A44: 5 in min 270 cm (DF) six A44:		· ·
Eight modificable, strong, is and alreable Figs	TYPE OF PARER 37 CER 184(c)	
First First Cathons on crosslings, interimentons Cathon C	Paper not the tible, strong, waite, and durable	
Table Copy in achine marks for accepted Eight Method Copy (1997) SHADEN CORT FR Lodium: Shade Lines are as price From Solid Flack Shading not permit d. Eight Shade Lines are as price From Solid Flack Shading not permit d. Eight Shade Lines Area pair. Prices Solid Flack Shading not permit d. Eight Shade Lines Shade lines pale, rough and by error of From Shade Lines and a trend of From Shade Lines pale, rough and by error of From Shade Lines and a trend of From Shade Lines and a trend of From Shade Lines and effective characters not pale lines and reference characters not open and the feet rough and reference characters not open and the feet rough and reference characters not open and the feet rough and t	Fire	Line in numbers & letters not on formly thick and well
Lids copy machine mosts of accepted. Figes Miles vero paper is not accepted by the object from 1987 STE CF PAPER 37 CFR 1341 Acceptable sizes 2.0 m by 29.7 on (DFS occur) 2.6 m by 29.7 on (DFS occur) 3.6 m by 29.7 on (DFS occur) 3.7 occur) 3.8 m by 29.7 on (DFS occur)	Erastres, il crations, overwritings, interincations,	
SZE CF CAPER 37 CTR 12412 Acceptable sizes 2 to may 29.7 cm (DES size A4) 2 to may 29.7 cm (DES size A4) 2 to may 29.7 cm (DES size A4) 3 had away sheets not the sime size Add away sheets not the sime size Sheets) Drawings sheets not an inceptable size. Figss MARGINS 37 CFR 84g1. Acceptable margins Lop 25 cm. Let 25 cm. Right 1.5 cm. Bottom 1.0 cm. Sizes A4 Size Lop 25 cm. Let 25 cm. Right 1.5 cm. Bottom 1.0 cm. Sizes A4 Size Lop 25 cm. Let 25 cm. Right 1.5 cm. Bottom 1.0 cm. Sizes A4 Size Lop 25 cm. Let 25 cm. Right 1.5 cm. Bottom 1.0 cm. Sizes A4 Size Lop 25 cm. Let 25 cm. Right 1.5 cm. Bottom 1.0 cm. Sizes A4 Size Lop 25 cm. Let 25 cm. Right 1.5 cm. Bottom 1.0 cm. Sizes A4 Size Lop 25 cm. Let 25 cm. Right 1.5 cm. Bottom 1.0 cm. Sizes A4 Size Lop 25 cm. Let 25 cm. Right 1.5 cm. Bottom 1.0 cm. Sizes A4 Size Lop 25 cm. Let 25 cm. Right 1.5 cm. Bottom 1.0 cm. Sizes A4 Size Lop 25 cm. Let 25 cm. Right 1.5 cm. Bottom 1.0 cm. Sizes A4 Size Lop 25 cm. Let 25 cm. Right 1.5 cm. Bottom 1.0 cm. Sizes A4 Size Lop 25 cm. Let 25 cm. Right 1.5 cm. Bottom 1.0 cm. Sizes A4 Size Lop 25 cm. Let 25 cm. Right 1.5 cm. Bottom 1.0 cm. Sizes A4 Size Lop 25 cm. Let 25 cm. Right 1.5 cm. Bottom 1.0 cm. Sizes A4 Size Lop 25 cm. Let 25 cm. Right 1.5 cm. Bottom 1.0 cm. Sizes A4 Size Lop 25 cm. Let 25 cm. Right 1.5 cm. Bottom 1.0 cm. Sizes A4 Size Lop 25 cm. Let 25 cm. Right 1.5 cm. Bottom 1.0 cm. Sizes A4 Size Lop 25 cm. Let 25 cm. Right 1.5 cm. Bottom 1.0 cm. Sizes A4 Size Lop 25 cm. Let 25 cm. Right 1.5 cm. Bottom 1.0 cm. Sizes A4 Size Lop 25 cm. Let 25 cm. Right 1.5 cm. Bottom 1.0 cm. Sizes A4 Size Lop 25 cm. Let 25 cm. Right 1.5 cm. Bottom 1.0 cm. Sizes A4 Sizes Lop 25 cm. Let 25 cm. Right 1.5 cm. Bottom 1.0 cm. Lop 25 cm. Let 25 cm. Right 1.5 cm. Bottom 1.0 cm. Lop 26 cm. Let 25 cm. Right 1.5 cm. Bottom 1.0 cm. Lop 27 cm. Let 25 cm. Right 1.5 cm. Bottom 1.0 cm. Lop 27 cm. Let 25 cm. Right 1.5 cm. Bottom 1.0 cm. Lop 27 cm. Let 25 cm. Right 1.5 cm. Bottom 1.0 cm. Lop 27 cm. Let 25	today more machine marks betaincented. Fig.(s)	
SOLD FLAPER 37 CER 12 441 - Acceptable sizes 2 0 mm y 20.7 cm (DESSE ATE 2 10 mm y 20.7 cm (DESSE ATE) 2 10 mm y 20.7 cm (DESSE ATE) 3 12 VEMBERS, LETTERS, & REFERENCE CHARACTERS. And diawing sheets not the some size Shocists Drawings spects not an eceptable size. Figs) MARGINS. 37 CER 84(g). Acceptable mergins Log 2 5 cm. Let 2.5 cm. Right. 1.5 cm. Bottom 1.0 cm. S1ZE: A4 5ize Lop 2 5 cm. Let 2.5 cm. Right. 1.5 cm. Bottom 1.0 cm. S1ZE: A4 5ize Lop 2 5 cm. Let 2.5 cm. Right. 1.5 cm. Bottom 1.0 cm. S1ZE: A4 5ize Lop 2.5 cm. Let 2.5 cm. Right. 1.5 cm. Bottom 1.0 cm. S1ZE: A4 5ize Lop 2.5 cm. Let 2.5 cm. Right. 1.5 cm. Bottom 1.0 cm. S1ZE: A4 5ize Lop 2.5 cm. Let 2.5 cm. Right. 1.5 cm. Bottom 1.0 cm. S1ZE: A4 5ize Lop 2.5 cm. Let 2.5 cm. Right. 1.5 cm. Bottom 1.0 cm. S1ZE: A4 5ize Lop 2.5 cm. Let 2.5 cm. Right. 1.5 cm. Bottom 1.0 cm. S1ZE: A4 5ize Lop 2.5 cm. Let 2.5 cm. Right. 1.5 cm. Bottom 1.0 cm. S1ZE: A4 5ize Lop 2.5 cm. Let 2.5 cm. Right. 1.5 cm. Bottom 1.0 cm. S1ZE: A4 5ize Lop 2.5 cm. Let 2.5 cm. Right. 1.5 cm. Bottom 1.0 cm. S1ZE: A4 5ize Lop 2.5 cm. Let 2.5 cm. Right. 1.5 cm. Bottom 1.0 cm. S1ZE: A4 5ize Lop 2.5 cm. Let 2.5 cm. Right. 1.5 cm. Bottom 1.0 cm. S1ZE: A4 5ize Lop 2.5 cm. Let 2.5 cm. Right. 1.5 cm. Bottom 1.0 cm. S1ZE: A4 5ize Lop 2.5 cm. Let 2.5 cm. Right. 1.5 cm. Bottom 1.0 cm. S1ZE: A4 5ize Lop 2.5 cm. Let 2.5 cm. Right. 1.5 cm. Bottom 1.0 cm. S1ZE: A4 5ize Lop 2.5 cm. Let 2.5 cm. Right. 1.5 cm. Bottom 1.0 cm. S1ZE: A4 5ize Lop 2.5 cm. Let 2.5 cm. Right. 1.5 cm. Bottom 1.0 cm. S1ZE: A4 5ize Lop 2.5 cm. Let 2.5 cm. Right. 1.5 cm. Bottom 1.0 cm. S1ZE: A4 5ize Lop 2.5 cm. Let 2.5 cm. Right. 1.5 cm. Bottom 1.0 cm. S1ZE: A4 5ize Lop 2.5 cm. Let 2.5 cm. Right. 2.5 cm. Bottom 1.0 cm. S1ZE: A4 5ize S1ZE: A4 5ize Lop 2.5 cm. Let 2.5 cm. Right. 2.5 cm. Bottom 1.0 cm. Lot 2.5 cm. Right. 1.5 cm. Bottom 1.0 cm. Lot 2.5 cm. Right. 1.5 cm. Bottom 1.0 cm. Lot 2.5 cm. Right. 1.5 cm. Bottom 1.0 cm. Log 1.5 cm. Let 2.5 cm. Right. Log 1.5 cm. Let 2.5 cm.	My har secure paper is not accept the class than-	
2. 0 m by 27 cm (DES or AE) 2. 6 m by 27 cm (DES or AE) And aware sheets not the same size Sheets) Draw age sheets not the same size Sheets) Draw age sheets not the same size Sheets) MARGINS 37 CFR 34g1 Acceptable margins Log 2.5 cm. Let 2.5 cm. Right 1.5 cm. Bottom 1.0 cm. S176 is 34.5 xi. Log 2.5 cm. Let 2.5 cm. Right 1.5 cm. Bottom 1.0 cm. S176 is 31.2 xi. Log 2.5 cm. Let 2.5 cm. Right 1.5 cm. Bottom 1.0 cm. S176 is 31.2 xi. Log 2.5 cm. Let 2.5 cm. Right 1.5 cm. Bottom 1.0 cm. S176 is 31.2 xi. Log 2.5 cm. Let 2.5 cm. Right 1.5 cm. Bottom 1.0 cm. S176 is 31.2 xi. Log 2.5 cm. Let 2.5 cm. Right 1.5 cm. Bottom 1.0 cm. S176 is 31.2 xi. Log 2.5 cm. Let 2.5 cm. Right 1.5 cm. Bottom 1.0 cm. S176 is 31.2 xi. Log 2.5 cm. Let 2.5 cm. Right 1.5 cm. Bottom 1.0 cm. S176 is 31.2 xi. Log 2.5 cm. Let 2.5 cm. Right 1.5 cm. Bottom 1.0 cm. S176 is 31.2 xi. Log 2.5 cm. Let 2.5 cm. Right 1.5 cm. Bottom 1.0 cm. S176 is 31.2 xi. Log 2.5 cm. Let 2.5 cm. Right 1.5 cm. Bottom 1.0 cm. S176 is 31.2 xi. Log 2.5 cm. Let 2.5 cm. Right 1.5 cm. Bottom 1.0 cm. S176 is 31.2 xi. Log 2.5 cm. Let 2.5 cm. Right 1.5 cm. Bottom 1.0 cm. S176 is 31.2 xi. Log 2.5 cm. Let 2.5 cm. Right 1.5 cm. Bottom 1.0 cm. S176 is 31.2 xi. Log 2.5 cm. Let 2.5 cm. Right 1.5 cm. Bottom 1.0 cm. Log 2.5 cm. Let 2.5 cm. Right 1.5 cm. Bottom 1.0 cm. Log 2.5 cm. Let 2.5 cm. Right 1.5 cm. Bottom 1.0 cm. Log 2.5 cm. Let 2.5 cm. Right 1.5 cm. Bottom 1.0 cm. Log 2.5 cm. Let 2.5 cm. Right 1.5 cm. Bottom 1.0 cm. Log 2.5 cm. Let 2.5 cm. Right 1.5 cm. Bottom 1.0 cm. Log 2.5 cm. Let 2.5 cm. Right 1.5 cm. Bottom 1.0 cm. Log 2.5 cm. Let 2.5 cm. Right 1.5 cm. Bottom 1.0 cm. Log 2.5 cm. Let 2.5 cm. Right 1.5 cm. Bottom 1.0 cm. Log 2.5 cm. Let 2.5 cm. Right 1.5 cm. Bottom 1.0 cm. Log 2.5 cm. Let 2.5 cm. Right 1.5 cm. Bottom 1.0 cm. Log 2.5 cm. Let 2.5 cm. Right 1.5 cm. Bottom 1.0 cm. Log 2.5 cm. Let 2.5 cm. Right 1.5 cm. Log 2.5 cm. Let 2.5 cm. Right 1.5 cm. Log 2.5 cm. Let 2.5 cm. Right 1.5 cm. Log 2.5 cm. Let 2.5 cm. Right 1.5 cm. Log		Solut black shadene not normal d. Jonesa
2.6 m by 27.9 cm is 1.2 x 11 melecs: Aid drawing sheets not the some size. Sheets) Drawings sheets not the some size. Drawings sheets not an eceptable size. Figor MARGINS, 37.CFR, Saligh Acceptable morgins. Lop 2.5 cm. Let 2.5 cm. Right 1.5 cm. Bottom 1.0 cm. \$1.2Fr. A4.5 ize. Lop 2.5 cm. Let 2.5 cm. Right 1.5 cm. Bottom 1.0 cm. \$1.2Fr. A4.5 ize. Lop 2.5 cm. Let 2.5 cm. Right 1.5 cm. Bottom 1.0 cm. \$1.2Fr. A4.5 ize. Lop 2.5 cm. Let 2.5 cm. Right 1.5 cm. Bottom 1.0 cm. \$1.2Fr. A4.5 ize. Lop 2.5 cm. Let 2.5 cm. Right 1.5 cm. Bottom 1.0 cm. \$1.2Fr. A4.5 ize. Lop 2.1 cm. Let 2.5 cm. Right 1.5 cm. Bottom 1.0 cm. \$1.2Fr. A4.5 ize. Lop 2.1 cm. Let 2.5 cm. Right 1.5 cm. Bottom 1.0 cm. \$1.2Fr. A4.5 ize. Lop 2.1 cm. Let 2.5 cm. Right 1.5 cm. Bottom 1.0 cm. \$1.2Fr. A4.5 ize. Lop 2.1 cm. Let 2.5 cm. Right 1.5 cm. Bottom 1.0 cm. \$1.2Fr. A4.5 ize. Lop 2.1 cm. Let 2.5 cm. Right 1.5 cm. Bottom 1.0 cm. \$1.2Fr. A4.5 ize. Lop 2.1 cm. Let 2.5 cm. Right 1.5 cm. Bottom 1.0 cm. \$1.2Fr. A4.5 ize. Lop 2.1 cm. Let 2.5 cm. Right 1.5 cm. Bottom 1.0 cm. \$1.2Fr. A4.5 ize. Lop 2.1 cm. Let 2.5 cm. Right 1.5 cm. Bottom 1.0 cm. \$1.2Fr. A4.5 ize. Lop 2.1 cm. Let 2.5 cm. Right 1.5 cm. Bottom 1.0 cm. \$1.2Fr. A4.5 ize. Lop 2.1 cm. Let 2.5 cm. Right 1.5 cm. Bottom 1.0 cm. \$1.2Fr. A4.5 ize. Lop 2.1 cm. Let 2.5 cm. Right 1.5 cm. Bottom 1.0 cm. \$1.2Fr. A4.5 ize. Lop 2.1 cm. Let 2.5 cm. Right 1.5 cm. Bottom 1.0 cm. \$1.2Fr. A4.5 ize. Lop 2.1 cm. Let 2.5 cm. Right 1.5 cm. Bottom 1.0 cm. \$1.2Fr. A4.5 ize. Lop 2.1 cm. Let 2.5 cm. Right 1.5 cm. Bottom 1.0 cm. \$1.2Fr. A4.5 ize. Lop 2.1 cm. Let 2.5 cm. Right 1.5 cm. Bottom 1.0 cm. \$1.2Fr. A4.5 ize. Lop 2.1 cm. Let 2.5 cm. Right 1.5 cm. Bottom 1.0 cm. \$1.2Fr. A4.5 ize. Lop 2.1 cm. Let 2.5 cm. Right 1.5 cm. Bottom 1.0 cm. \$1.2Fr. A4.5 ize. Lop 2.1 cm. Let 2.5 cm. Right 1.5 cm. Bottom 1.0 cm. \$1.2Fr. A4.5 ize. Lop 2.1 cm. Let 2.5 cm. Right 1.5 cm. Bottom 1.0 cm. Lop 2.1 cm. Let 2.5 cm. Right 1.5 cm. Let 2.5 cm. Le	2. Vertical and Land Control of the	Shade lines hale, rough and his ried. Figisi
Sheeris) Drawings sheets not an eceptable size. Figis) MARGINS, 37 CFR Satign Acceptable margins: Ing. 1	2. 6. in 6c. 27.9 : m (8.1.2 x. 1.1 inches)	
Sheetis) Drawings sheets not an icceptable size. Figs. MARGINS 37 CFR Safgt Acceptable mergins: Ingure legends are poor. Figs. Lop 2.5 cm. Let 2.5 cm. Right 1.5 cm. Bottom 1.0 cm. S1ZE A4 Size. Lop 2.5 cm. Let 2.5 cm. Right 1.5 cm. Bottom 1.0 cm. S1ZE A4 Size. Lop 2.5 cm. Let 2.5 cm. Right 1.5 cm. Bottom 1.0 cm. S1ZE A4 Size. Lop 2.5 cm. Let 2.5 cm. Right 1.5 cm. Bottom 1.0 cm. S1ZE A4 Size. Lop 2.5 cm. Let 2.5 cm. Right 1.5 cm. Bottom 1.0 cm. S1ZE A4 Size. Lop 2.5 cm. Let 2.5 cm. Right 1.5 cm. Bottom 1.0 cm. S1ZE A4 Size. Lop 2.5 cm. Let 2.5 cm. Right 1.5 cm. Bottom 1.0 cm. S1ZE A4 Size. Lop 2.5 cm. Let 2.5 cm. Right 1.5 cm. Bottom 1.0 cm. S1ZE A4 Size. Lop 2.5 cm. Let 2.5 cm. Right 1.5 cm. Bottom 1.0 cm. S1ZE A4 Size. Lop 2.5 cm. Let 2.5 cm. Right 1.5 cm. Bottom 1.0 cm. S1ZE A4 Size. Log 1.5 cm. Let 2.5 cm. Right 1.5 cm. Bottom 1.0 cm. S1ZE A4 Size. Log 1.5 cm. Let 2.5 cm. Right 1.5 cm. Bottom 1.0 cm. S1ZE A4 Size. Log 1.5 cm. Let 2.5 cm. Right 1.5 cm. Bottom 1.0 cm. S1ZE A4 Size. Log 1.5 cm. Let 2.5 cm. Right 1.5 cm. Bottom 1.0 cm. S1ZE A4 Size. Log 1.5 cm. Let 2.5 cm. Right 1.5 cm. Bottom 1.0 cm. Log 1.5 cm. Let 2.5 cm. Right 1.5 cm. Bottom 1.0 cm. Log 1.5 cm. Let 2.5 cm. Right 1.5 cm. Let 3.7 cm. Let 4.5 cm. Log 1.5 cm. Let 2.5 cm. Let 2.5 cm. Let 3.7 cm. Let 4.5 cm. Log 1.5 cm. Let 3.7 cm. Let 4.5 cm. Log 1.5 cm. Let 3.7 cm. Let 4.5 cm. Log 1.5 cm. Let 3.7 cm. Let 4.5 cm. Log 1.5	Ad drawing sheets not the same size	37 CFF 1.54 p)
Drawings shocks not an ecopiable size. Figs. MARGINS, 37 CFR Stigl. Acceptable margins: Log 25 cm. Le (2.5cm. Right 1.5 cm. Bottom 1.0 cm. S1ZE: A4 Size. Log 25 cm. Left 2.5cm. Right 1.5 cm. Bottom 1.0 cm. S1ZE: A4 Size. Log 25 cm. Left 2.5cm. Right 1.5 cm. Bottom 1.0 cm. S1ZE: A4 Size. Log 25 cm. Left 2.5cm. Right 1.5 cm. Bottom 1.0 cm. S1ZE: A4 Size. Log 25 cm. Left 2.5cm. Right 1.5 cm. Bottom 1.0 cm. S1ZE: A4 Size. Log 25 cm. Left 2.5cm. Right 1.5 cm. Bottom 1.0 cm. S1ZE: A4 Size. Log 25 cm. Left 2.5cm. Right 1.5 cm. Bottom 1.0 cm. S1ZE: A4 Size. Log 25 cm. Left 2.5cm. Right 1.5 cm. Bottom 1.0 cm. S1ZE: A4 Size. Log 25 cm. Left 2.5cm. Right 1.5 cm. Bottom 1.0 cm. S1ZE: A4 Size. Log 25 cm. Left 2.5cm. Right 1.5 cm. Bottom 1.0 cm. S1ZE: A4 Size. Log 25 cm. Left 2.5cm. Right 1.5 cm. Bottom 1.0 cm. S1ZE: A4 Size. Log 25 cm. Left 2.5cm. Right 1.5cm. Bottom 1.0 cm. S1ZE: A4 Size. Log 25 cm. Left 2.5cm. Right 1.5cm. Bottom 1.0 cm. S1ZE: A4 Size. Log 25 cm. Left 1.5cm. Log 25 cm. Right 1.5cm. Bottom 1.0 cm. Log 25 cm. Left 1.5cm. Log 25 cm. Right 1.5cm. Bottom 1.0 cm. Log 25 cm. Left 1.5cm. Log 25 cm. Right 1.5cm. Bottom 1.0 cm. Log 25 cm. Left 1.5cm. Log 25 cm. Right 1.5cm. Log 25 cm. Right 1.5cm. Log 25 cm. Right 1.5cm. Log 25 cm. Log 26 cm. Log 26 cm. Right 1.5cm. Bottom 1.0 cm. Log 27 cm. Log 27 cm. Log 27 cm. Log 27 cm. Log 27 cm. Log 27 cm. Log 27 cm. Log 27 cm.		Hun bers and reference characters not plain and legible.
Sumbers and reference characters not oriented in the sam intrection as the view. 37 TFR 1.84 parts		Fig(-)
Log 2 Sect. Left 2.5 cm Right 1.5 cm Bottom 1.0 cm STZE A4 Size Fig. 1 Elegism alphabet not used. 17 FR 1.84 pt 17 Fig. 2 English alphabet not used. 17 FR 1.84 pt 17 Fig. 3 Fig. 3 Fig. 4 Fig. 5 Fig. 6 Fig	MARGINS 37 CFR 84(g) Acceptable margins:	Figure legends are pour. Figure
SIZE A4 Size Figs English alphabet not used. T7 (FR 1 84(p)(2))		
English alphabet not used. T7 FR 184(p)(2) SiZEC 8 12 X T		
Size	START A4 SIVE	
Margaro in disceptable Egg Sure Pers, letters and reference characters must be at least Top (1)		
Top (1) 1 (1) 1 (1) 32 of (1 8 inch) in height, 37 CFR 1.84(p) 5 (pg.) Right, Right, Beltom (F) 13 LEAD LIVES, 37 CFE, 1.84(q) (correspond to drawing changes 14 to drawing changes 14 NUMBEFING OF SHEETS OF CEAWINGS, 37 CFR 1.84(t) (2) (2) (2) (2) (2) (2) (2) (2) (2) (2		
Right R) Bottom Fo Fig. 3 VEWS 17 CFE 1.8461 EEM/NDP:R. Specification may require revision to correspond to drawing changes Lattral block 37 CFE 1.84(E) 14 NUMBERING OF SHEETS OF EFAWINGS 37 CFR 1.84(E) Brackets needed to show bigure as one entity. 56E. 1. no numbered consecutively, and in Arabic numerals beginning with number 1. Sheets. 19 NUMBERING OF VIEWS 37 CFR 1.84(E) Fig. 15 NUMBERING OF VIEWS 37 CFR 1.84(E) 15 NUMBERING OF VIEWS 37 CFR 1.84(E) 16 NUMBERING OF VIEWS 37 CFR 1.84(E) 17 NUMBERING OF VIEWS 37 CFR 1.84(E) 18 Numbered consecutively, and in Arabic numerals beginning with number 1. Fig. 51 NUMBERING OF VIEWS 37 CFR 1.84(E) 18 Numbered consecutively, and in Arabic numerals beginning with number 1. Fig. 51 Numbered consecutively, and in Arabic numerals beginning with number 1. Fig. 52 Numbered consecutively, and in Arabic numerals beginning with number 1. Fig. 53 Numbered consecutively, and in Arabic numerals beginning with number 1. Fig. 53 Numbered consecutively, and in Arabic numerals beginning with number 1. Fig. 53 Numbered consecutively, and in Arabic numerals beginning with number 1. Fig. 53 Numbered consecutively, and in Arabic numerals beginning with number 1. Fig. 54 Numbered consecutively, and in Arabic numerals beginning with number 1. Fig. 55 Numbered consecutively, and in Arabic numerals beginning with number 1. Fig. 55 Numbered consecutively, and in Arabic numerals beginning with number 1. Fig. 55 Numbered consecutively, and in Arabic numerals beginning with number 1. Fig. 55 Numbered consecutively, and in Arabic numerals beginning with number 1. Fig. 55 Numbered consecutively, and in Arabic numerals beginning with number 1. Fig. 55 Numbered consecutively, and in Arabic numerals beginning with number 1. Fig. 55 Numbered consecutively, and in Arabic numerals beginning with number 1. Fig. 55 Numbered consecutively, and in Arabic numerals beginning with number 1. Fig. 55 Numbered consecutively, and in Arabic numerals numbered consecutively, and in Arabic numerals beginning with nu		32 × n. (1.8 inch) in height. 37 CFR 1.84(p)(3)
SECTIONAL VIEWS 37 CFR 184 (hi 3) Sectional designation should be noted with Arabic or		
Correspond to drawing changes Fattial seas 37 CFR 184(h2) Brackets needed to show bigure as one entity. Fig. 5 Views not labeled separately or properly. Fig. 6 Fig. 7 Fig. 9 Sectional designation should be noted with Arabic or Fig. 9 Fig. 9 Sectional designation should be noted with Arabic or	VIEWS. 17 CFE, U840)	
Lattal yeas: 37 CFR 184(f)(2) Brackets needed to show figure as one entity. Fig(r) Vees a not labeled separately or properly. Fig(s) Enlarged view not labeled separately or properly. Fig(r) Fig(r) Enlarged view not labeled separately or properly. Fig(r) Enlarged view not labeled separately or properly. Fig(r) Enlarged view not labeled separately or properly. Enlarged view not harded consecution edge, and in Arabic on view not number 1 Engangen edge, and in Arabic on view number 1 Engangen edge, and in Arabic on view number 1 Engangen edge, and in Arabic on view number 1 Engangen edge, and in Arabic on view number 1 Engangen edge, and in Arabic on v		Contraines cross cach other. In 2001
Brackets needed to show figure as one entity. Fig(2) View signal labeled separately or properly. Fig(3) Fig(4) Enlarged view not labeled separetely or properly Fig(5) Enlarged view not labeled separetely or properly Fig(6) ECCTION AL VIEWS. 37 CFR 1.84 (hit3) Hatching not indicated for sectional portions of an object Fig(5) Sectional designation should be noted with Arabic or Shell not numbered consecutit ely, and in Arabic numerals beginning with number 1. Specification numerals beginning with number 1. Fig(5) CORFECTIONS, 37 CFR 1.84 (x) Corrections not made from prior PTO-948 dated Labeled for sectional portions of an object Fig(5) Surface shading shown not appropriate. Fig(5) Sectional designation should be noted with Arabic or Solid black shading not used for color contrast.		TO STANGE THE OF SHEETS OF DEAWINGS 37 PER 1840)
Fig6.) Sectional designation should be noted with Arabic or Fig6.) Sectional designation should be noted with Arabic or Sectional Designation with number 1 Shouts 1 Shouth 1 Shout		She is not numbered consecutively, and in Arabic numeral
Version labeled separately or properly. Fig(s) Signing with number 1. Fig(s) Separately or properly. Fig(1) Security Signing with number 1. Fig(s) Security Signing		
Fig(s) View nor handled separetely or properly beginning with number 1. Figurs Fig(r) 16. CORFECTIONS, 37 CFR 1.84 (s) Corrections not reade from prior PTO-948 dated Hatching not indicated for sectional portions of an object Fig(s) Sectional designation should be noted with Arabic or Sectional designation should be noted with	V.e.s not labeled separately of properly.	
Fig(1) 16. CORFECTIONS, 37 CFR 1.84(G) Corrections not reade from prior PTO-948 dated Hatching not indicated for sectional portions of an object 17 DESIGN DRAWINGS 37 CFR 1.152 Fig(2) Sectional designation should be noted with Arabic or Solid black shading not used for color contrast.		
Fig(1) 16. CORFECTIONS, 37 CFR 1.84(G) Corrections not made from prior PTO-948 dated 4 dated 4 dated 4 dated 4 dated 5 dated 4 dated 5 dated 5 dated 6 dated 6 dated 6 dated 6 dated 6 dated 7 dated 8 dated 9	Enlarged view not labeled separetely or properly	
SECTION AL VIEWS. 37 CFR 1.84 (hit3) Hatching not indicated for sectional portions of an object Fig(a) Sectional designation should be noted with Arabic or Sectional designation should be noted with Arabic or Sectional designation should be noted with Arabic or		16. CORFECTIONS, 37 CFR 1.84(%)
Hatching not indicated for sectional portions of an object Fig(s) Sectional designation should be noted with Arabic or Sectional designation should be noted with Arabic or Settle DESIGN DRAWINGS 37 CFR 1.152 Surface shading shown not appropriate. Fig(s) Solid black shading not used for color contrast.		Corrections not made from prior P1O-948
Fig. Surface shading shown not appropriate. Fig.s Sectional designation should be noted with Arabic or Solid black shading not used for color contrast.		
Sectional designation should be noted with Arabic or Solid black shading not used for color contrast.		
Sectional designation standard of violet and section in the section of the sectio	Sectional designation should be noted with Arabic or	Solid black shading not used for color contrast.
	(Administrative Control of Contro	

DATE 5-23-01 TELEPHONE NO. 703 305 8430

ATTACHMENT TO PAPER NO.

Attachment for PTO-948 (Rev. 03/01, or earlier) 6/18/01

The below text replaces the pre-printed text under the heading, "Information on How to Effect Drawing Changes," on the back of the PTO-948 (Rev. 03/01, or earlier) form.

INFORMATION ON HOW TO EFFECT DRAWING CHANGES

1. Correction of Informalities -- 37 CFR 1.85

New corrected drawings must be filed with the changes incorporated therein. Identifying indicia, if provided, should include the title of the invention, inventor's name, and application number, or docket number (if any) if an application number has not been assigned to the application. If this information is provided, it must be placed on the front of each sheet and centered within the top margin. If corrected drawings are required in a Notice of Allowability (PTOL-37), the new drawings MUST be filed within the THREE MONTH shortened statutory period set for reply in the Notice of Allowability. Extensions of time may NOT be obtained under the provisions of 37 CFR 1.136(a) or (b) for filing the corrected drawings after the mailing of a Notice of Allowability. The drawings should be filed as a separate paper with a transmittal letter addressed to the Official Draftsperson.

2. Corrections other than Informalities Noted by Draftsperson on form PTO-948.

All changes to the drawings, other than informalities noted by the Draftsperson, MUST be made in the same manner as above except that, normally, a highlighted (preferably red ink) sketch of the changes to be incorporated into the new drawings MUST be approved by the examiner before the application will be allowed. No changes will be permitted to be made, other than correction of informalities, unless the examiner has approved the proposed changes.

Timing of Corrections

Applicant is required to submit the drawing corrections within the time period set in the attached Office communication. See 37 CFR 1.85(a).

Failure to take corrective action within the set period will result in ABANDONMENT of the application.

REMINDER

.7

Drawing changes may also require changes in the specification, e.g., if Fig. 1 is changed to Fig 1A. Fig. 1B. Fig.1C, etc., the specification, at the Bract Descriptor, of the Drawing, must likewise be changed. Please make such changes by 37 CFR 1.312 Amendment at the time of submitting drawings.

INFORMATION ON HOW TO EFFECT DRAWING CHANGES

1. Correction of Drawings - 37 CFR 1.85

File new drawings with the changes he apported them he Identity organized, if provided, should include the title of the invention, inventor's name, and application appetrs of a ekchanaber (if any) if an application number has really expressing relate the application. If this interval is provided at must be placed on the from of such sheet and centered within the top margin. The drawing leading filed as a separate paper with a transmittal lengeholders sed to the Drawing Reverw Branch.

2. Timing for Corrections

Applicant is required to submit acceptable corrected theory as within the three-month shortened statutory period set in the Notice of Allowability (PTOL-37).

If offine to take corrective action within set, period will result in ABANDONMENT of the Application.

3. Corrections other than Defects Noted by the Drawing Review Branch on the Form PTO-948

All changes to the drawings, other than defects noted by the Drowing Review Branch. MUST be approved by the examiner before the application will be allowed. No changes vill be primitted other than correction of defects, unless the examiner has approved the proposed changes.